SIEMENS

## Data sheet 3NG1302



LV HRC disconnecting blade Sz. 2 Insulated grip lug

| | |
|---|---|
| **Model** | |
| **product brand name** | SENTRON |
| **product designation** | LV HRC isolating blade |
| **design of the product** | size 2, grip lug insulated |
| **size of fuse link** | LV HRC2 |
| **Main circuit** | |
| operational current rated value | 400 A |
| **Mechanical Design** | |
| **height** | 150 mm |
| **depth** | 61 mm |
| **Net Weight** | 227 g |

**Approvals Certificates**

| Environment | General Product Approval | | | | other |
|---|---|---|---|---|---|
| Environmental Confirmations | EAC | Confirmation | CE EG-Konf. | UKCA | Confirmation |

**other**

产品合格 QC PASS

**Further information**


**Information on the packaging**
https://support.industry.siemens.com/cs/ww/en/view/109813875
**Information for data generation and storage**
https://support.industry.siemens.com/cs/ww/en/view/109995012
**Information- and Downloadcenter (Catalogs, Brochures,…)**
https://www.siemens.com/lowvoltage/catalogs
**Industry Mall (Online ordering system)**
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NG1302
**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
https://support.industry.siemens.com/cs/ww/en/ps/3NG1302
**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NG1302
**CAx-Online-Generator**
https://www.siemens.com/cax
**Tender specifications**


Subject to change without notice
© Copyright Siemens

https://www.siemens.com/specifications

**Kennlinien**

https://curves.simaris.siemens.com/curves/3NG1302




**last modified:** 4/6/2026


Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens